ELSEVIER

Neuroscience Letters 357 (2004) 242–244

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 357

Volume 357, no. 1

Sympathetic nervous system mediates cold stress-induced suppression of natural killer cytotoxicity in rats
X.-H. Jiang, S.-Y. Guo, S. Xu, Q.-Z. Yin, Y. Ohshita, M. Naitoh, Y. Horibe, T. Hisamitsu (Japan, China) 1

Tyrosine augments clozapine-induced dopamine release in the medial prefrontal cortex of the rat in vivo: effects of access to food
G.E. Jaskiw, C. Simpson, R. Bongiovanni, B.K. Yamamoto (USA) 5

α-Sialylcholesterol enhances the depolarization-induced release of acetylcholine and glutamate in rat hippocampus: in vivo microdialysis study
Y. Tanaka, H. Han, T. Hagishita, F. Fukui, G. Liu, S. Ando (Japan, China) 9

Activation of ERK5 is mediated by *N*-methyl-D-aspartate receptor and L-type voltage-gated calcium channel via Src involving oxidative stress after cerebral ischemia in rat hippocampus
R.-m. Wang, Q.-g. Zhang, G.-y. Zhang (China) 13

Delayed moderate hypothermia reduces calpain activity and breakdown of its substrate in experimental focal cerebral ischemia in rats
M. Liebetrau, D. Burggraf, H.K. Martens, M. Pichler, G.F. Hamann (Germany) 17

Pattern of cerebral edema and hemorrhage in a mice model of diffuse brain injury
F. Hellal, D. Bonnefont-Rousselot, N. Croci, B. Palmier, M. Plotkine, C. Marchand-Verrecchia (France) 21

Comparing human reaches across three viewing conditions in a step and reach task
J.M. Hondzinski (USA) 25

Shifts in the retinal image of a visual scene during saccades contribute to the perception of reached gaze direction in humans
J. Blouin, J.-P. Bresciani, G.M. Gauthier (France) 29

Susceptibility for ischemic stroke in Korean population is associated with polymorphisms of the interleukin-1 receptor antagonist and tumor necrosis factor-α genes, but not the interleukin-1β gene
B.-C. Lee, S.-Y. Ahn, H.-K. Doo, S.-V. Yim, H.-J. Lee, S.-Y. Jin, S.-J. Hong, S.-H. Lee, S.-D. Kim, J.-C. Seo, K.-H. Leem, J.-H. Chung (South Korea) 33

Effect of paroxetine on a model of posttraumatic stress disorder in rats
T. Sawamura, K. Shimizu, M. Nibuya, T. Wakizono, G. Suzuki, T. Tsunoda, Y. Takahashi, S. Nomura (Japan) 37

Involvement of serotonergic systems in the lateral parabrachial nucleus in sodium and water intake: a microdialysis study in the rat
J. Tanaka, Y. Hayashi, K. Yamato, H. Miyakubo, M. Nomura (Japan) 41

Apolipoprotein(a) null phenotype is related to a delayed age at onset of Alzheimer's disease
E. Emanuele, E. Peros, C. Tomaino, E. Feudatari, L. Bernardi, G. Binetti, R. Maletta, A. D'Angelo, L. Montagna, A.C. Bruni, D. Geroldi (Italy) 45

Cyclosporin-A inhibits inducible nitric oxide synthase activity and expression after spinal cord injury in rats
A. Diaz-Ruiz, P. Vergara, F. Perez-Severiano, J. Segovia, G. Guizar-Sahagún, A. Ibarra, C. Ríos (Mexico) 49

Antipsychotics regulate cyclic AMP-dependent protein kinase and phosphorylated cyclic AMP response element-binding protein in striatal and cortical brain regions in mice
A.V. Turalba, K.A. Leite-Morris, G.B. Kaplan (USA) 53

Inhibition of rostral medullary raphé neurons prevents cold-induced activity in sympathetic nerves to rat tail and rabbit ear arteries
Y. Ootsuka, W.W. Blessing, R.M. McAllen (Australia) 58

Alzheimer's disease-associated amyloid beta interacts with the human serine protease HtrA2/Omi
H.-J. Park, Y.-M. Seong, J.-Y. Choi, S. Kang, H. Rhim (South Korea) 63

Preparative activities in posterior parietal cortex for self-paced movement in monkeys
H. Gemba, K. Matsuura-Nakao, R. Matsuzaki (Japan) 68

Calcineurin-mediated BAD Ser^{155} dephosphorylation in ammonia-induced apoptosis of cultured rat hippocampal neurons
L. Yang, K. Omori, J. Suzukawa, C. Inagaki (Japan) 73

Loss of an individual proteasome subunit alters motor function but not cognitive function or ambulation in mice
S. Martin, J.R. Gee, A.J. Bruce-Keller, J.N. Keller (USA) 76

Volume 357, no. 2

Multiple binge alcohol consumption during rat adolescence increases anxiety but does not impair retention in the passive avoidance task
M. Popović, M. Caballero-Bleda, L. Puelles, C. Guerri (Spain) 79
Thiol redox state (TRS) and oxidative stress in the mouse hippocampus after pentylenetetrazol-induced epileptic seizure
N. Patsoukis, G. Zervoudakis, N.T. Panagopoulos, C.D. Georgiou, F. Angelatou, N.A. Matsokis (Greece) 83
Characterization of NMDA induced depression in rat hippocampus: involvement of AMPA and NMDA receptors
R. Li, M. Dozmorov, F. Hellberg, Y. Tian, B. Jilderos, H. Wigström (Sweden) 87
Milnacipran, a serotonin and noradrenaline reuptake inhibitor, suppresses long-term potentiation in the rat hippocampal CA1 field via 5-HT_{1A} receptors and α_1-adrenoceptors
K. Tachibana, M. Matsumoto, H. Togashi, T. Kojima, Y. Morimoto, O. Kemmotsu, M. Yoshioka (Japan) 91
Brief seizure activity alters Ca^{2+}/calmodulin dependent protein kinase II dephosphorylation and subcellular distribution in rat brain for several hours
Y. Dong, H.C. Rosenberg (USA) 95
Effects of the immunophilin ligand FK506 on nerve regeneration in collagen guides seeded with Schwann cells in rats
E. Udina, E. Verdú, X. Navarro (Spain) 99
Expression of astrocytic nestin in the rat hippocampus during trimethyltin-induced neurodegeneration
M.C. Geloso, V. Corvino, V. Cavallo, A. Toesca, E. Guadagni, R. Passalacqua, F. Michetti (Italy) 103
Cholecystokinin-B receptor gene expression in cerebellum, pre-frontal cortex and cingulate gyrus and its association with suicide
T. Sherrin, K.Y.C. Heng, Y.Z. Zhu, Y.M. Tang, G. Lau, C.H. Tan (Singapore) 107
Region-specific analysis of mitochondrial DNA deletions in neurodegenerative disorders in humans
C. Mawrin, E. Kirches, G. Krause, R. Schneider-Stock, B. Bogerts, C.K. Vorwerk, K. Dietzmann (Germany) 111
Peripherally administered amitriptyline derivatives have differential anti-allodynic effects in a rat model of neuropathic pain
B. Sung, G.K. Wang (USA) 115
Auditory-visual temporal integration as a function of distance: no compensation for sound-transmission time in human perception
J. Lewald, R. Guski (Germany) 119
The vanilloid receptor-1 is expressed in rat spinal dorsal horn astrocytes
S. Doly, J. Fischer, C. Salio, M. Conrath (France) 123
Apoptosis induced by endoplasmic reticulum stress depends on activation of caspase-3 via caspase-12
J. Hitomi, T. Katayama, M. Taniguchi, A. Honda, K. Imaizumi, M. Tohyama (Japan) 127
Reduced facilitation effect of collinear flankers on contrast detection reveals impaired lateral connectivity in the visual cortex of schizophrenia patients
A. Must, Z. Janka, G. Benedek, S. Kéri (Hungary) 131
Postural sway increase in low back pain subjects is not related to reduced spine range of motion
A. Hamaoui, M.C. Do, S. Bouisset (France) 135
Endomorphin 1- and endomorphin 2-like immunoreactive neurons in the hypothalamus send axons to the parabrachial nucleus in the rat
T. Chen, R. Hui, Y.-X. Dong, Y.-Q. Li, N. Mizuno (China, Japan) 139
Zeta 14-3-3 protein favours the formation of human tau fibrillar polymers
F. Hernández, R. Cuadros, J. Avila (Spain) 143
Immunohistochemical localization of phospholipase D2 in embryonic rat brain
J.-S. Choi, H.-J. Park, Y.C. Jo, M.-H. Chun, J.-W. Chung, J.M. Kim, D.S. Min, M.-Y. Lee (South Korea) 147
An association study of the cholesteryl ester transfer protein TaqI B polymorphism with late onset Alzheimer's disease
L. Fidani, A. Goulas, R. Crook, R.C. Petersen, E. Tangalos, A. Kotsis, J. Hardy (Greece, USA, UK) 152
Patch clamp study of mouse glomus cells using a whole carotid body
S. Yamaguchi, B. Lande, T. Kitajima, Y. Hori, M. Shirahata (USA, Japan) 155

Volume 357, no. 3

Group II metabotropic glutamate receptors inhibit cAMP-dependent protein kinase-mediated enhancement of tetrodotoxin-resistant sodium currents in mouse dorsal root ganglion neurons
D. Yang, R.W. Gereau IV (USA) 159
Illusory sound shifts induced by the ventriloquist illusion evoke the mismatch negativity
J.J. Stekelenburg, J. Vroomen, B. de Gelder (The Netherlands) 163
The E318G substitution in *PSEN1* gene is not connected with Alzheimer's disease in a large Polish cohort
C. Żekanowski, B. Pepłońska, M. Styczyńska, D. Religa, A. Pfeffer, K. Czyżewski, T. Gabryelewicz, A. Szybińska, B. Kijanowska-Haładyna, S. Kotapka-Minc, E. Łuczywek, A. Barczak, B. Wasiak, M. Chodakowska-Żebrowska, I. Przekop, J. Kuźnicki, M. Barcikowska (Poland, Sweden) 167
P300 investigation of phoneme change detection in dyslexic adults
T. Fosker, G. Thierry (UK) 171

Degradation properties of polyglutamine-expanded human androgen receptor in transfected cells
D.A. Cullen, P.N. Leigh, J.-M. Gallo (UK) 175
Regulatory role of nitric oxide over extracellular taurine in the hippocampus of freely moving rats
J. Watts, J. Segieth, B. Pearce, P.S. Whitton (UK) 179
Periodic orbit analysis reveals subtle effects of atropine on epileptiform activity in the guinea-pig hippocampal slice
P.K. Harrison, J.E.H. Tattersall, R.A. Clement (UK) 183
Contralateral voluntary hand movement inhibits human parkinsonian tremor and variably influences essential tremor
G. Tamás, L. Pálvölgyi, A. Takáts, I. Szirmai, A. Kamondi (Hungary) 187
Phosphorylation of translation initiation factor eIF2α in the brain during pilocarpine-induced *status epilepticus* in mice
L.S. Carnevalli, C.M. Pereira, B.M. Longo, C.B. Jaqueta, M. Avedissian, L.E.A.M. Mello, B.A. Castilho (Brazil) 191
Light-adaptation attenuates the effects of phosphodiesterase blockade by Zaprinast in the isolated rat retina
P. Barabás, K. Antal, J. Kardos (Hungary) 195
Interaction between auditory and visual stimulus relating to the vowel sounds in the auditory cortex in humans: a magnetoencephalographic study
K. Miki, S. Watanabe, R. Kakigi (Japan) 199
Peripheral glutamate receptors participate in interleukin-1β-induced mechanical allodynia in the orofacial area of rats
D.K. Ahn, C.Y. Jung, H.J. Lee, H.S. Choi, J.S. Ju, Y.C. Bae (South Korea) 203
Visual evoked potentials elicited by coherently moving dots in dyslexic children
G. Schulte-Körne, J. Bartling, W. Deimel, H. Remschmidt (Germany) 207
Decreased β-actin mRNA expression in hyperglycemic focal cerebral ischemia in the rat
C. Bémeur, L. Ste-Marie, P. Desjardins, A.S. Hazell, L. Vachon, R. Butterworth, J. Montgomery (Canada) 211
The Ets transcription factor Fev is specifically expressed in the human central serotonergic neurons
P. Maurer, S. Rorive, A. de Kerchove d'Exaerde, S.N. Schiffmann, I. Salmon, Y. de Launoit (Belgium, France) 215
Temporal and topographic profiles of cyclooxygenase-2 expression during 24 h of focal brain ischemia in rats
C. Yokota, T. Kaji, Y. Kuge, H. Inoue, N. Tamaki, K. Minematsu (Japan) 219
The transcription factor CREB is phosphorylated in neurons of the piriform cortex of blind mice in response to illumination of the retina
C. Álvarez-López, R. Cernuda-Cernuda, M.A. Paniagua, M. Álvarez-Viejo, A. Fernández-López, J.M. García-Fernández (Spain) 223
The effects of monobromobimane on neuronal cell death in the hippocampus after transient global cerebral ischemia in rats
T. Abe, N. Takagi, M. Nakano, S. Takeo (Japan) 227
Upregulation of the pro-opiomelanocortin gene in motoneurones after acrylamide administration in mice
S. Hughes, T. Child, M.G. Simpson, M.E. Smith (UK) 232
3′ UTR $(AGG)_n$ repeat of glial cell line-derived neurotrophic factor (GDNF) gene polymorphism in schizophrenia
A. Michelato, C. Bonvicini, M. Ventriglia, C. Scassellati, R. Randazzo, S. Bignotti, R. Beneduce, M.A. Riva, M. Gennarelli (Italy) 235

Author Index 238
Volume of Contents 241
Contents continued 245